



PREMIUM DIRECT VENT FIREPLACE SYSTEMS

 Monessen

# WARM WELCOME

Nothing invites or delights like the dancing flames of a fire. For thousands of years fire has been the focal point of hearth and home and, like so many families before, we invite you to sit by ours and enjoy its warmth and beauty.



Forged Andirons



Cast Andirons



Covington KHLDV400 with Cottage Clay firebrick and optional filigree doors

## COVINGTON CLEAR VIEW

The fireplace is a focal point in our rooms and a gathering place in our homes. Regardless of our personal taste or design choices, the warm ambiance of fire appeals to us all equally. The Covington Series from Monessen offers a clean front, elegantly styled fireplace that will easily fit into any décor – making it the perfect choice for any home. Available in three expansive viewing sizes, offering a number of accessories and up to an impressive 60,000 BTUs, these fireplaces set the stage for your design imagination.

The perfect fire from any angle: no glare, non-reflective ceramic glass provides the clearest view available.

KHLDV500 shown on cover with Vintage Brown firebrick





**Fire and more at your fingertips!  
TOTAL SIGNATURE COMMAND™ SYSTEM.**

No other system offers as many available features as the Total Signature Command™ (TSC) System, now available on our premium direct vent fireplaces. From your Touch Screen remote control you can light the pilot and control three step flame adjustment, or just let the Smart Mode Thermostat take command and automatically modulate your fireplace at its most comfortable and efficient operation. Enjoy A/C functionality with automatic battery backup, adjust the blower speed, accent light, and control rear burner shut off without getting up from your couch. The TSC system also includes cold climate pilot options and a touch button command center. (The full command Touch Screen remote control is included with the purchase of KHLDTV500 and WDTV500 model fireplace systems.)

**TOTAL SIGNATURE COMMAND™ (TSC)  
CONTROL FEATURES:**

- A/C control with battery back-up
- Electronic ignition
- Cold climate pilot optional setting
- Hi/Lo 3 step flame adjustment
- Accent light with three step dimming
- Rear burner shut-off
- Touch button command center
- Full function TSFRSC touch screen hand held remote control included
- Comes standard with SCSACM A/C module





Covington KHLDV600 with Vintage Brown firebrick, rear burner turned up and accent lights active



Shown with accent lights active



Shown with rear burner turned down and accent lights active

## Standard Features

- Total Signature Command™ Control (TSC) with full function TSFSC hand held remote control included
- Available in three sizes: 32" opening (KHLDV400), 36" opening (KHLDV500) and 42" opening (KHLDV600)
- Clear-View ceramic glass: viewing area of 960 square inches (KHLDV400), 1080 square inches (KHLDV500) and 1500 square inches (KHLDV600)
- Max BTU output: 40,000 (KHLDV400), 50,000 (KHLDV500) and 60,000 (KHLDV600)
- Ember bed burner with fiber ceramic logs
- Accent light provided standard with manual dimmer control
- Top vent with 5" x 8" direct vent pipe (requires 24" rise before 90 degree elbow on horizontal runs)
- Fits chases with a 24" inside depth
- FE (fireplace efficiency as per CSA P4 listed)

- Natural gas and propane gas field convertible
- Variable Hi/Lo flame adjustment
- 18" flex line with On/Off shut-off valve included
- CSA design certified

### FIREBRICK OPTIONS:

- Herringbone firebrick in Vintage Brown; or traditional firebrick in Cottage Clay and Cottage Red (Purchase of brick is required for all models).



Cottage Clay firebrick



Cottage Red firebrick



Vintage Brown firebrick



Covington See-Thru with  
Vintage Brown firebrick

## COVINGTON SEE-THRU

Now you can enjoy the realistic logs and dancing flames from two rooms at the same time. The Covington See-Thru direct vent fireplace offers a total of 2160 square inches of viewing area through Clear-View ceramic glass and comes standard with an accent light with manual dimmer operation. Also standard is the Total Signature Command™ Control with full function TSFSC hand held remote included – ensuring that operating your Covington See-Thru is simple, convenient and energy efficient. With three firebrick styles to choose from, optional stainless steel outdoor facing kit, decorative arched door with hand forged designer inlays, and the ability to be installed on an outside wall, the Covington See-Thru direct vent fireplace is the perfect addition to any two rooms where warmth and ambiance are required - indoors or out.



Covington See-Thru with Cottage Red firebrick  
and stainless steel outdoor facing kit



Covington See-Thru with Cottage Clay firebrick

### Standard Features

- Total Signature Command™ Control (TSC) with full function TSFSC hand held remote control included
- Center burner shut-down feature
- Clear-View ceramic glass: viewing area of 2160 square inches (total)
- Accent light provided standard with manual control dimmer
- Top venting only with 5"x 8" direct vent pipe
- Fits chases with 24" depth
- Three styles of firebrick to choose from (one required)

### Optional Accessories

- Stainless steel outdoor facing kit
- Decorative arched doors with hand forged designer inlays
- Andirons
- Blower



Serenade WDV500 with optional Stone studio surround and black porcelain panels

## SERENADE WIDE VIEW

Styled to compliment any modern décor, this contemporary addition to the Monessen direct vent family offers an incredible wide viewing area – and yet its compact design allows for easy installation in just about any space. The Serenade's contemporary bronze glass beads and natural stone kit creates an ambience of modern calm and compliments a sleek interior design style. With a BTU range of 23,000 to 45,000 and standard Total Signature Command™ System, the Serenade from Monessen is the perfect fit for today's contemporary lifestyle.



*All units framed in non-combustible material*



Serenade WDV500 shown with optional trim kit and black porcelain panels



Serenade WDV500 shown with optional stainless steel face and black porcelain panels



Serenade WDV600 shown with Contemporary face in Textured Black



Serenade WDV600 shown with Contemporary stainless steel face and Driftwood log set

### Standard Features

- Total Signature Command™ Control (TSC) with full function TSFSC hand held remote control included
- Contemporary bronze glass and natural stone kit included
- Ceramic glass panel with quick latch system for easy access (500 only)
- Anti-reflective ceramic glass with quick latch system for easy access (600 only)
- Glass illumination light system
- Top vent (requires only 12" vertical rise before 90 degree elbow on horizontal runs)
- Black porcelain panels (600 only)

### Optional Accessories

- Black porcelain panels (500 only)
- Stone studio surround (500 only)
- Iron Age (600 only), Textured Black (600 only) and stainless steel faces
- Blower
- Driftwood log
- Multiple contemporary glass bead color options



Iron Age Contemporary Face





Serenade WDVST500

## SERENADE SEE-THRU

This unique new addition to the Serenade family can be installed between two interior rooms or between an interior and exterior room and is the only linear see-thru fireplace available on the market today that offers this dynamic design feature! The included Total Signature Command™ System with remote control makes operating your new Serenade See-Thru simple and convenient – not to mention efficient and environmentally friendly. Whether you are looking for a contemporary addition indoors or out, the glass bead or natural stone kit, standard black porcelain panels and ample wide view of the flickering flames add a touch of modern calm to the sleek and compact fireplace design – making it the perfect addition for just about anywhere.



*All units framed in non-combustible material*



Serenade WDVST500 shown with Stone studio surround



Serenade WDVST500 shown with outdoor glass framing kit



Serenade WDVST500 shown with hand brushed stainless steel curved face

## Standard Features

- Total Signature Command™ Control (TSC) with full function TSFSC hand held remote control included
- Contemporary bronze glass and stone kit
- Black porcelain panels
- Ceramic glass door with quick latch system for easy access (500 only)
- Glass illumination light system
- Anti-reflective ceramic glass with quick latch system for easy access (600 only)



Rock/Glass Ember bed

## Optional Accessories

- Outdoor facing kit
- Blower
- Trim kit
- Surrounds
- Additional glass accessory kits in multiple color options

## Premium Direct Vent Fireplace Systems

Model	Fuel Type	BTU		Framing Dimensions			Glass Frame Dim.		Glass View Dim.		FE Ratings (Cdn Fireplace Efficiency)	AFUE Efficiency ratings	Thermal Efficiency ratings	Certifying Org.
		Max	Min	Width	Height	Depth	Width	Height	Width	Height				
<b>Covington</b>														
KHLDV400*	NG	40,000	28,500	45 5/16"	44 3/4"	23 7/8"	35 1/2"	34 1/2"	32"	30"	69.6%		Up to 80%	CSA
KHLDV400*	LP	40,000	30,500	45 5/16"	44 3/4"	23 7/8"	35 1/2"	34 1/2"	32"	30"	78.2%		Up to 80%	CSA
KHLDV500*	NG	50,000	32,500	49 5/16"	44 3/4"	23 7/8"	39"	34 1/4"	36"	30"	67.6%		Up to 80%	CSA
KHLDV500*	LP	50,000	38,500	49 5/16"	44 3/4"	23 7/8"	39"	34 1/4"	36"	30"	69.8%		Up to 80%	CSA
KHLDV600	NG	60,000	41,500	55 1/2"	50 9/16"	24 1/2"	45"	40 1/4"	42"	36"	81.0%	66.25%	Up to 85%	CSA
KHLDV600	LP	57,000	40,000	55 1/2"	50 9/16"	24 1/2"	45"	40 1/4"	42"	36"	80.0%	66%	Up to 85%	CSA

\*Available in millivolt and Signature Command control

Model	Fuel Type	BTU		Framing Dimensions			Glass Frame Dim.		Glass View Dim.		FE Ratings (Cdn Fireplace Efficiency)	AFUE Efficiency ratings	Certifying Org.
		Max	Min	Width	Height	Depth	Width	Height	Width	Height			
<b>Covington See-Thru</b>													
KSTDV500NTSC	NG	56,000	37,000	50"	44 3/4"	23"	39 1/2"	34 1/4"	36"	30"	77.3%	67.40%	CSA
KSTDV500PTSC	LP	56,000	44,500	50"	44 3/4"	23"	39 1/2"	34 1/4"	36"	30"	74.3%	66.35%	CSA

Model	Fuel Type	BTU		Framing Dimensions			Glass Frame Dim.		Glass View Dim.		FE Ratings (Cdn Fireplace Efficiency)	AFUE Efficiency ratings	Certifying Org.
		Max	Min	Width	Height	Depth	Width	Height	Width	Height			
<b>Serenade Wide View</b>													
WDV500NTSC	NG	34,000	23,000	46 5/8"	35 5/8"	17 7/8"	40"	17 7/8"	36 1/8"	13 3/4"	64.4%	Up to 80%	CSA
WDV500PTSC	LP	33,000	25,500	46 5/8"	35 5/8"	17 7/8"	40"	17 7/8"	36 1/8"	13 3/4"	64.7%	Up to 80%	CSA
WDV600NTSC	NG	45,000	24,000	56 3/4"	35 5/8"	18 5/8"	51"	17 7/8"	47 7/8"	14 1/4"	70.2%	Up to 80%	CSA
WDV600PTSC	LP	40,000	32,500	56 3/4"	35 5/8"	18 5/8"	51"	17 7/8"	47 7/8"	14 1/4"	72.2%	Up to 80%	CSA

Model	Fuel Type	BTU		Framing Dimensions			Glass Frame Dim.		Glass View Dim.		FE Ratings (Cdn Fireplace Efficiency)	AFUE Efficiency ratings	Certifying Org.
		Max	Min	Width	Height	Depth	Width	Height	Width	Height			
<b>Serenade See-Thru</b>													
WDVST500NTSC	NG	34,000	27,500	51 3/4"	38 1/2"	17 3/8"	40"	17 7/8"	36 1/8"	13 3/4"	61.0%	Up to 80%	CSA
WDVST500PTSC	LP	34,000	27,500	51 3/4"	38 1/2"	17 3/8"	40"	17 7/8"	36 1/8"	13 3/4"	59.7%	Up to 80%	CSA

## Optional Accessories

Covington models only



Filigree door option



Forged andirons



Cast andirons



Forged andirons  
KHLDV600 models only



See our Ambient Technologies® catalog for a complete line of remotes and thermostats.

Glass Kits for WDV Serenade



Variable thermostat  
controlled forced air blowers



Sapphire



Bronze



Onyx



Emerald



Diamond

For more information about MHSC and Monessen efficient and environmentally friendly products, please visit [www.monessenhearth.com](http://www.monessenhearth.com)



A Brand of Monessen Hearth Systems Co.  
149 Cleveland Drive, Paris, Kentucky 40361

[www.monessenhearth.com](http://www.monessenhearth.com)

Your Monessen Dealer:

To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. © 2010 Monessen Hearth Systems Co.